

e-STUDIO2329A

e-STUDIO2829A

Datasheet

- Benefit from these two highly reliable and robust monochrome A3 systems with speeds of 23 or 28 pages per minute.
- Based on sophisticated technology the e-STUDIO2329A/2829A easily integrate into networks, support mobile printing and are intuitive to use.
- Designed to meet the highest environmental standards and save valuable resources.



Benefits

All in one

What ever you need, Toshiba's monochrome printing systems are there to support you. Packed with multifunctional potential, the e-STUDIO2329A/2829A deliver outstanding performance. Brilliant prints, crystal-clear colour scans and quick copies are packed in stylish design. Add the optional fax, and these systems can meet all demands of a modern office environment.

With an output speed of 23 or 28 pages per minute and as many as up to five different paper sources these models are capable of supporting an entire workgroup. The total paper capacity of up to 1,700 sheets for A5 to A3 formats ensures smooth operation without the need to constantly add paper.

Connectivity

Both systems can easily be integrated into existing networks. The standard network capability can be extended with the optional Wireless LAN module, which gives you more flexibility.

Various colour scan functions, such as Scan to USB, Scan to E-Mail or Scan to Folder, let you easily share and manage your electronic documents.

Ease-of-use

The intuitive user interface provides the highest possible efficiency when operating the new systems. Logical key configuration and a clearly structured menu allow users to enjoy all benefits right from the start.

We are aware that each company has individual needs and requirements. Therefore, the e-STUDIO2329A/2829A were designed to adjust to your demands. Thanks to a flexible configuration they offer optimal efficiency.

Take advantage of the versatile functionality to enhance your productivity.




Configuration

Reversing Automatic Document Feeder (RADF)



Platen Cover



Paper Feed Unit



Drawer Module



Paper Feed Pedestal



Desk

Specifications

General

Print & Copy Speed	A4: 23/28 ppm A3: 14/14 ppm
Warm-up Time	~ 15 seconds
Paper Size & Weight	Cassette: A5R-A3, 64-80 g/m ² Bypass: A5R-A3, 52-216 g/m ²
Paper Capacity	Cassette: 1x 250 sheets, Bypass: 1x 100 sheets Max. 1,700 sheets
Inner Output Tray	100-sheet capacity
Automatic Duplex	A5R-A3, 64-80 g/m ²
Memory	512 MB RAM
Interface	10Base-T/100Base-TX (incl. IPv6), High Speed USB 2.0, WLAN ¹⁾ (IEEE802.11b/g/n)
Dimensions & Weight	575 x 540 x 402 mm (W x D x H), ~ 25.5 kg
Initial Consumables	Toner, Drum, Developer

Print

Resolution	Max. 2,400 x 600 dpi with smoothing
Page Description Language	PCL 5e & 6 and PostScript 3 ¹⁾ compatible
Supported Systems	Windows 10/8.1/7/Server 2008 SP2 (32/64 bit), Windows Server 2016/Server 2012/Server 2008 R2 SP1 (64 bit), Mac OS 10.11-10.14, Unix/Linux
Print Functions	Universal Printer Driver, Print from USB, Multiple pages per sheet, Toner save mode

Scan

Resolution	Max. 600 x 600 dpi
Scan Speed	Monochrome/Colour: 25/18 ipm (300 dpi)
Scan Modes	Colour, Greyscale, Monochrome
File Formats	JPEG, Multi/Single Page TIFF/PDF (and other formats such as DOCX, XLSX, RTF, TXT, PDF/A) (via e-STUDIO Scan Editor)
Scan Functions	Scan templates, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP), TWAIN, Scan to Mobile

Copy

Resolution	Scan: 600 x 600 dpi Print: 2,400 x 600 dpi with smoothing
First Copy Output Time	~ 6.4 seconds
Zoom	Platen: 25-400%, RADF ¹⁾ : 25-400%
Copy Modes	Text, Text/Photo, Photo, Background erase
Copy Functions	Copy templates, Electronic Sort, ID Card Copy, Edge Erase, 2-in-1 / 4-in-1 mode, Auto sort ²⁾

Fax¹⁾

Communication	Super G3, G3
Transmission Speed	~ 3 seconds per page
Compression	JBIG, MMR, MR, MH
Fax Memory	6 MB Transmission/Reception
Network Fax	Driver for Windows 10/8.1/7 SP1/Server 2008 SP2 (32/64 bit), Windows Server 2016/Server 2012/Server 2008 R2 SP1 (64 bit)
Fax Functions	One-touch dialing (5 keys), Group dialing

System & Security

Device Management	Top Access for remote administration and configuration
System Features	Internal toner recycling, Energy-saving modes
Accounting & Security	100 department codes, IP and MAC address filter, SSL support

Options

RADF	50-sheet capacity, A5R-A3, 50-104 g/m ²
Paper Feed Unit	1x 250-sheet capacity, A5R-A3, 64-80 g/m ²
Paper Feed Pedestal	1x 550-sheet capacity, A5R-A3, 64-80 g/m ²
Drawer Module	For Paper Feed Pedestal 550-sheet capacity, A5R-A3, 64-80 g/m ²
Desk	
Fax Board	
Wireless LAN Module	
PostScript Module	Including 512 MB memory
e-BRIDGE Print & Capture App	
e-BRIDGE Print & Capture Entry App	



¹⁾ Optional

²⁾ Requires RADF

About Toshiba Tec

Toshiba Tec Germany Imaging Systems GmbH is part of the globally operating Toshiba Tec Corporation, active in various high-tech industrial sectors.

Toshiba Tec Corporation is a leading provider of information technology, operating across multiple industries - ranging from retail, education and business services to hospitality and manufacturing. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba Tec Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

Toshiba Tec Germany Imaging Systems GmbH

Carl-Schurz-Str. 7
41460 Neuss
Germany

Telephone

+49 2131-1245-0

Fax

+49 2131-1245-402

Website

www.toshibatec.eu



Together Information is Toshiba's vision for how people and organisations create, record, share, manage and display ideas and data.

It is based on our belief that the most successful organisations are those that communicate information in the most efficient way.

We make that possible through an integrated portfolio of industry-specific solutions, all of which reflect Toshiba's commitment to the future of the planet.

