## Document shredders DAHLE 516air



- · High-volume department document shredder
- Improves indoor climate even when the document shredder is used heavily. The unique DAHLE CleanTEC® filter system demonstrably reduces fine dust levels produced by document shredding.
- Innovative MHP® cutting rollers (Matrix High-Performance): high-quality compound steel rollers for a guaranteed long service life
- Patented manufacturing process conserves resources by using significantly less raw material compared to production of traditional cutting rollers
- Higher performance thanks to MHP cutting rollers
- Separate CD feed opening and waste container for reliable, environmentally-friendly shredding
- · Doors open wide for easy emptying of waste container
- Intuitive, user-friendly illuminated control panel with audio signals
- Device shuts down automatically after 30 minutes without use

- Electronic start and stop function controlled by integrated light barrier
- Automatic paper reverse function clears excess paper
- Convenient feeding and reversing function for manual control
- Automatic safety shut-off when the waste container is full or the door is open
- · Optical waste level indicator
- · Pull-out waste container
- Powerful motor ensures high performance and longer run times
- · Extremely quiet operation
- Convenient swivel castors, two of which are lockable, with 5 cm ground clearance for greater mobility
- · Easy-to-reach main switch on rear of device
- Practical cold-device plug can be detached from document shredder

Article number	51572-13908
Entry width in mm	400
Sheet capacity (80g/sqm)*	13 - 15 sheets
Particle size (in mm)	2 x 15 mm
Security levels	P-5/F-2/O-4/T-5/E-4
Autom. oiler	✓
Oil incl. in ml	400
running time	20min
CDs/DVDs	✓
Cards	✓
Paper clips	✓
Waste collection volume (in I)	160
Noise level when idle (db)	53
Dimensions H x W x D (mm)	960 x 734 x 511
EAN	4009729063767



<sup>\*</sup> Maximum number of DIN A4 sheets that can be shredded in a single load under the following conditions: new cutting rollers (oiled if necessary), cold motor, power supply with rated voltage and rated frequency (230V/50Hz; 120V/60Hz). Sheet capacity may be lower and operating noise higher under different conditions. Sheet capacity may also vary due to sheet characteristics and paper feed.



## Document shredders DAHLE 516air



Dahle Security 516air document shredder



Dahle Security 516air document shredder



Dahle Security 516air document shredder



Dahle Security 516air document shredder



Dahle Security 516air document shredder



Dahle Security 516air document shredder



## Document shredders DAHLE 516air



Dahle Security 516air document shredder



Dahle Security 516air document shredder



Fine particle filters Dahle 20710

